



ACTIVITY/EVENT RISK ASSESSMENT

Activity/Event: Petanque Competitions at

Assessment Date:

Assessment By:

Reference:

Hazard/Risk	People most likely to be affected	Control Measures in Place				Additional Measures
			Impact (I)	Likeli-hood (L)	Risk (I x L)	
Site						
Collision between pedestrian and vehicle	P, S	Car park is external to pétanque grounds. Vehicular access to grounds controlled by groundsman.	3	1	3	None
Playing surrounds	P, O	Wooden surrounds are potential trip hazard	2	2	4	Check uniformity of height.
Marquees and tents	P, O, S	Check for correct erection and placement of pegs for guy ropes.	2	1	2	
Access for Emergency Services	P, O, S	Normal Club access is a double gate				Double Gate gives EV access.
First Aid Facilities	P, O, S	In Club house				
Fire Hazards	P, O, S	No enclosed playing area.				
FH Catering		BBQ Equipment	4	1	4	Separated from public access by barrier
FH Gas		No gas heaters				

FH Electricity		RCD Protected	3	1	3	
Play						
Boule striking player or spectator	P, O, S	Playing area protected by wooden surround. Picnic tables to side out of direct line of boules.	2	2	4	
Trip on lane string	P		1	3	3	
Terrain hygiene	P, O	Area inspected for broken glass and animal excrement.	2	1	2	
<i>Enter in this column all Hazards/Risk</i>	<i>P: Players O: Officials S: Spectators Pu: Public M: Media</i>	<i>Enter in this Column the details of the control measures or provide a reference to a standard procedure</i>	<i>1: Trivial 2: Minor 3: Moderate 4: Major</i>	<i>1: Unlikely 2: Possible 3: Probable 4: Certain</i>	<i>Evaluate the residual risk: 1-5: Low 6-10: Medium 11-16: High</i>	

Included in an Activity/Event Risk Assessment

Activity / event: Petanque Events	Date:
Hazard /Risk factor	Control measure required
1. Responsible officer for activity/event:	
2. Site: 2.1 Review access for pedestrians and vehicles 2.2 Collision between pedestrian and vehicles 2.3 Playing areas inspection before use 2.4 Trip Hazards 2.5 Marquees and Tents 2.6 Access available for emergency services 2.7 First aid facilities available 2.8 Suitable storage provided for equipment 2.9 Mixing of players and spectators 2.10 Blocked means of escape 2.11 Dogs, access and control measures	
3. Fire 3.1 Sources of ignition 3.2 Catering equipment 3.3 Vehicles and their fuel 3.4 Packing materials and litter 3.5 Fire in tent or marquee 3.6 Sources of Oxygen - high winds 3.7 Positioning of catering equipment 3.8 Emergency services access 3.9 Fire safety equipment-	
4. Participants: 4.1 Boule striking player or spectator 4.2 Other injury to player or spectator 4.3 Registration and consent 4.4 Parental consent for young participants provided	Protection provided by wooden surround.
5. Spectators 5.1 Spectator areas inspected 5.2 Safety certificate available for spectator facilities 5.3 Limitations imposed on viewing areas available to spectators 6. Electrical Safety 6.1 Supply and outlets 6.2 Equipment	Only a small number of spectators expected.
7. Notifications: 7.1 Emergency services informed of event 7.2 Media informed of event 7.3 Police support required 7.4 Ambulance service support required 7.5 Fire service support required	7.1 no 7.2 yes 7.3-7.5 no